

HAND BOOK 2025



WESMARC
SUPER DOORS



SUPER DOORS



wesmarcdoors.com




Wesmarc Super Doors is another chapter in our entrepreneurial journey to transform Indian homes and commercial spaces just like my family and I had done with Ashirvad CPVC pipes. This time my son Aman Poddar is leading the transformation of doors, a space ready for disruption. We welcome you to our 2,00,000 sq ft German designed robotic factory in Bommasandra, Bangalore to experience the new future of doors.

*"Some day all doors
will be made this way"*

Aman Poddar

Pawan Poddar



INDIA'S MOST **MODERN & LARGEST** DOOR & FRAME MANUFACTURING

DOORS OF TOMORROW, FOR TODAY.

We create intelligent doors that work as well as they look. Because, we think that doors should not only bring your vision to life with a vibrant dash of colour or a minimal touch of class, but also enhance your everyday experiences.

So, with every door, we endeavour to make homes more intimate, office spaces quieter and public spaces more utilitarian. All while working perfectly time and again.



There is a belief which lies at the core of every WESMARC door: that every door should be safe and durable, work smartly and enhance the aesthetics of the space.



CPL Veneer Dark Oak / Door model A.1

A deep understanding of Indian sensibilities and day-to-day life and a thorough knowledge of the best in European engineering drives everything we create.


LOOKS SOPHISTICATED. FEELS INTELLIGENT.

Yes, our doors are beautiful. However, they go beyond just their appearance, because we understand what is important to you. Your space reflects memories, passions and the security of all that you hold dear. So, we help you choose the full door (door, frame and hardware) that is best suited for you. Which is why, we pay attention to the tiniest of details, and ensure the very best design, safety and durability in every single door.

DESIGN

WESMARC designs come from an appreciation for global trends and contemporary Indian styles. But at their core, our doors are designed to do one thing: to make life easier.

Through a state-of-the-art manufacturing process, and a watchful eye for the best materials, we've created a wide range of doors that is consistently world-class, with no compromise, even at scale. Furthermore, our doorsets can be installed with 2 hands and in just 30 minutes.



DURABILITY

Ever counted the number of times you open and close your door? Well, we have! To make our doors future proof, once the materials have met our standards, we comprehensively test every individual component and then the assembled full door, both mechanically and environmentally. We make sure that every WESMARC door is engineered to withstand the vast differences in usage patterns and environmental conditions, just so it feels like the first time, every time you open the door.



SAFETY

All of our doors are designed intelligently to maximise the safety of the space it encloses, because your safety is important to us. So important, that we make doors that are fire retardant, acoustically insulated or even reinforced with metal sheets. Moreover, every component is crafted to be easy-to-use, but tough to misuse. And we make all of this available to you at a simple half turn of the key. All to make sure that you always have the peace of mind you deserve, on either side of the door.



THE BEST OF THE WORLD, CRAFTED FOR INDIA.

4+ Decades of experience in the Indian construction space and a constant thirst for innovation led us to realize that the market needs a smarter solution when it comes to doors, frames & hardware.

So with the aim of shifting the paradigm, we surveyed technologies across the world, and identified the best of European practices. With this as a starting point, we invested over 4 years' worth of effort to develop our own range of products, re-engineered and attested to withstand the vast differences in usage patterns and environmental conditions across our country.

200000 sq. ft

India's most Modern & Largest Door and Frame manufacturing.

50,000+ SKUs

Product ranges across wood, engineered and glass.

49+ years of expertise

Across manufacturing, nationwide distribution and creating a leading brand in the Indian building industry.



INDIA'S MOST
MODERN & LARGEST
DOOR & FRAME MANUFACTURING

Our high-tech, automated manufacturing unit at Bengaluru.

LEGACY

WESMARC is the continuing legacy of a 3rd generation Indian entrepreneurial family that has a distinct track record for pioneering solutions, disrupting markets and climbing to a position of leadership since 1975.

Behind all of this success, however, is a simple ethos: a thorough understanding of the needs of the customer, a commitment to inculcate the very best practices, an uncompromising passion to execute an elegant solution and ultimately, to elevate the entire ecosystem.




At WESMARC, we don't just make a better product, but we strive to achieve a holistically better way of doing things: from selecting the right full door (door, frame & hardware), to its installation and finally to its everyday use!

We've also made the process of choosing the right full door simple and transparent, because we intend to make life easier, not only by creating doors that are easy to install and use, but also by bringing in simplicity and transparency to the entire process.

FULL WALL WRAP ADJUSTABLE FRAME (F.W.W.A.F.)

Eng. wood full wall wrap adjustable frame :Unique solution on the market wrapping the entire thickness of the wall ranging from 80mm up to 340mm thickness of the wall and comes pre-fitted with a co-extruded acoustic seal within the jamb groove.

Using our telescopic adjustable architraves, each frame size can be further adjusted by up to +20* mm on the thickness of the wall. Architraves are seamlessly joined at 45 degree & are 60 mm wide & 12mm thick. A high level of detail that also adds to the stability of the frame. Furthermore, they are finished with matching CPL veneers that give the impression of the perfectly finished frame creating a PORTAL look.



WESMARC FRAME

- Wraps the whole thickness of the wall.
- Door leaf is larger.
- More daylight compared to block frame.
- Allows for high wall tolerances on height (+Any mm/-50mm), width (+30mm/-50mm) & thickness (+20mm/-0mm).



TRADITIONAL/TYPICAL BLOCK FRAME

- Sits within the thickness of the wall.
- Door leaf is smaller.
- Less daylight compared to WESMARC frame.
- Allows for minimum wall tolerances, which will require additional work during installation.

REBATED DOOR



INDIA'S
1ST AND ONLY

Eng. wood rebated doors: Another unique solution on the market is rebated doors (Profiled edges) which add to the modern design of door leaves. This intelligent solution further aids in barricading dust, light, a/c losses & improves acoustic insulation between the rooms. To improve mechanical stability & durability against moisture, our doors are PVC edge banded using PUR glue on all the 4 leading edges.

The rebated profile also allows for easy adjustments, in both width (+/- 2mm) & height (+/- 2mm) between the door and frame to get the perfect & seamless installation, everytime.




WESMARC DOOR

- Rebated doors of thickness 40, 42mm & 45mm.
- Modern design, no gaps with frame, Increasing acoustic insulation.
- Barricades dust, light and a/c losses.
- Opens the door to 180° and easily adjustable in 3D.



STRAIGHT/FLAT DOOR

- Typical door thickness 32/35mm.
- Old design, visible gaps with lesser acoustic insulation.
- Does not barricade dust, light and a/c losses.
- 3D adjustments not possible using traditional leaf/butt hinges used on straight edge doors.



EXPERTISE INSTALLED

We engineer and create doors that are intuitive, so they're both easy to install and also ensure an effortless experience, every day.

DESIGN



WALL WRAP ADJUSTABLE FRAME

Create the **PORTAL** look.


- Wraps the full thickness of the wall.
- Integrated acoustic seal
- Wraps from 80mm to 340mm.
- Adjustable tolerance up to 20 mm.



REBATED DOORS

What happens inside, stays inside.

- Barricades dust, light and a/c losses.
- Increased acoustic insulation.
- Modern design, no gaps.



EASE OF INSTALLATION

Simply installed by 2 hands in 60 min.

- Clean installation, no dust, no sound.
- No resizing, polishing or finishing.
- No damage to finished rooms.



CPL VENEERS

Creating the first impression.

- High resistance & durability to scratches.
- Looks and feels like natural veneer.
- No colour variations, no maintenance.

SAFETY



2 ALUMINIUM SHEETS INSIDE

Stands the test of time.

- Reinforced construction.
- Provides additional strength & durability.
- Provides additional insulation.



REINFORCED LOCKS & STRIKER PLATES

Easy to close.
Impossible to pick.

- Multi locking Security bolts .
- Reinforced rounded striker plates.
- EN rated Mortise lock & Cylinder.
- Perfectly flush fitted. No protruding elements.

DURABILITY



HINGES

The strong backbone.

- Door ingeniously just hangs on.
- Modern and sleek design. Soft closes the door with ease.
- Opens the door to 180°.
- Easily adjustable in 3D.




PUR ADHESIVE

We think of the little things, for you.

- High resistance to moisture & varying weather conditions.
- Excellent low & high temperature performance.
- Adequately applied across the entire Door & Frame construction.



CPL Veneer Natural Eucalyptus door leaf & White frame/ Door model A.1



Full Door : Door leaf, Frame (Jamb + Architraves), Hardwares, Accessories & Installation parts

Experience unrivaled reliability and elegance with our Rebated Doors featuring adjustable frame technology now in India. Embraced by prestigious buildings in Dubai, Germany, and Europe, this innovation sets a new standard for excellence and ensures top-notch quality worldwide.

German Engineered, Bharat Made

SCIENCE INSIDE SIMPLE OUTSIDE



WESMARC is your one-stop-shop for a full door (door, frame and hardware). The design of our doors brings simplicity and transparency to your decision-making process.

Plug and Play: Every part of a WESMARC door, from the door and frame, right down to the smallest of components is engineered for ease of installation. All the elements are packaged carefully and are ready to install, thus a full door can then be easily installed with just 2 hands and in 60 minutes. No Dust. No Noise. No Damage.

1 Application & Material



Start by identifying where the door is intended to be used & which construction type you prefer or otherwise require. Wesmarc doors are best suited for residences, offices, hotels, hospitals and other commercial spaces, as entrance or interior doorways, in spaces such as bedrooms, bathrooms and others. We build our doors with wood / engineered materials for its intended performance.

2 Dimension & Orientation



Note the height, width and thickness of the clear, finished wall opening where the door is to be installed. Also, determine which way the door should open, and choose a left or right door accordingly.

3 Design & Finish



The easiest step of them all. Simply choose the design or model of the door you want and the CPL veneer finish for the door and frame individually.

DOOR. FRAME. HARDWARE

WESMARC PRODUCT ARCHITECTURE

WOOD



ENTRANCE (PREMIUM)

Created to offer a high level of security at the entrances of apartments, villas, offices and other commercial spaces, this unique set of aluminium sandwiched premium entrance doors are aesthetically sophisticated and incredibly difficult to misuse.



ENTRANCE (OPTIMUM)

The closed body mortise lock and the security bolts give you a reassuring sense of security, while the modern designs of this effortlessly elegant line of doors gives you both a great first and last impression.



ENTRANCE (UNIVERSAL+)

Crafted for versatility and durability, these sleek doors handle daily wear in offices and homes, offering both functionality and aesthetic rejuvenation to any interior space.



ENTRANCE (OPTIMUM)

FOR OFFSET & EQUAL
The enclosed mortise lock and the secure bolts offer a comforting sense of safety, while the contemporary designs of this stylish line of double doors leave both a lasting and grand impressive impact.



INTERIOR (UNIVERSAL)

FOR OFFSET & EQUAL
Crafted for versatility and durability, these sleek doors handle daily wear in offices and homes, offering both functionality and aesthetic rejuvenation to any interior space.



INTERIOR (PREMIUM)

Built to offer you the quiet sense of calm that the bedroom, office or bathroom demands, these doors are highly secure and also acoustically insulated. Further, the minimal designs can give any space, a facelift.



INTERIOR (OPTIMUM)

Versatile, robust and efficient, these doors offer a broad range of applications. They're capable of handling the daily stresses of offices and homes alike. The look of this door can be further enhanced with glass inserts or wood panels.



INTERIOR (UNIVERSAL)

Crafted for versatility and durability, these sleek doors handle daily wear in offices and homes, offering both functionality and aesthetic rejuvenation to any interior space.



SUPER TALL DOOR (OPTIMUM & UNIVERSAL)

FOR INTERIOR & ENTRANCE
The enclosed mortise lock and the secure bolts offer a comforting sense of safety, while the contemporary designs of this stylish line of double doors leave both a lasting and grand impressive impact.



SUPER TALL DOOR (OPTIMUM & UNIVERSAL)

FOR INTERIOR & ENTRANCE
The contemporary designs of this stylish line of double doors leave a lasting and grand impressive impact, while the enclosed mortise lock and secure bolts provide a comforting sense of safety.



EDUCATIONAL FACILITY

HOSPITAL

VILLA

HOTEL

COMMERCIAL

INSTITUTION

Not Just A Door. A super Door

Discover a revolution in doors with Wesmarc – A complete system that makes our doors Super Doors, offering superior protection, aesthetics, and finish.



STYLISH

Select your preferred finish from a variety of veneers, European hinges, and accessories.



STRONG

Strength and fire resistance with a sandwiched aluminum layer. Superior quality with a super-thick 45 mm door and a 5.5 mm deck.



SAFE

Theft-proof doors secured by inbuilt triple security lock bolts. Double heavy-duty mortise locks with reinforced strike plates.



SMART

Zero-gossip doors with TPE co-extruded seal, smooth operation, engineered core for insulation, modern hardware, and a rebated profile.



TERMITE PROOF

Ensuring termite protection for enduring quality and timeless appeal in every aspect.



CO-EXTRUDED ACOUSTIC SEAL

Superior sound insulation, gentle soft closing, and seamless aesthetic integration for enhanced comfort and functionality.



WATER RESISTANT

Perfect for all climates, ensuring durability and performance regardless of environmental challenges or changes.



SECURITY

Enhanced security deters intruders, providing peace of mind with robust protection and reliable defense measures.



SCRATCH RESISTANT

Imported CPL veneer: durable, scratch-resistant, and easy-to-clean, ensuring long-lasting quality and low maintenance.



ENERGY EFFICIENT

Rigorously tested, ensuring optimal performance and savings in any environment.



MAINTENANCE FREE

Combining design, safety, and durability for a harmonious blend of aesthetic appeal and easy maintenance.



ECO - FRIENDLY

Eco-friendly material offering beauty, durability, and versatility for sustainable and stylish design solutions.



INSTALLATION MADE EASY

Easily installed by two hands in just 60 minutes for quick and straightforward assembly.



FULL WALL WRAP ADJUSTABLE FRAME

Achieve the distinctive PORTAL aesthetic with our innovative design and styling options.



REBATED DOORS

Confidentiality assured: what happens inside remains private and secure within our trusted environment.



FIRE & SMOKE RESISTANT

Fire-resistant doors ensure 45 minutes of protection and prevent smoke leaks.

LEFT OR RIGHT?

An aspect of buying a door that is often overlooked until the last minute is its orientation and direction of opening. In other words, do you need a left or right door?

How do you determine whether the door is a left or a right door?



1.

Locate which side of the frame the hinge is on.



2.

Stand between the frames facing directly towards the hinge.




3.

If the door opens towards your Left, its a left arm stretched out door.




4.

If the door opens towards your Right, its a right arm stretched out door.



Left door



Right door



Look from one side.



Look from the otherside.

FLUSHED OR REBATED?

German Engineered. Bharat Made

OUR DOORS ARE NEVER OUT OF PLACE

The design of our doors brings simplicity and transparency to your decision-making process.

Our doors are crafted to suit any space. So, identify where the door is intended to be used and which construction type you prefer, or otherwise require. Then, choose the design or model you want and the CPL veneer finish for the door and frame.

Our intricate, high-design elements showcase sophistication and modern design. A.1 is a timeless plain design, G.1/G.2 are our models with clear glass, C.1 adds a touch of drama with clear glass & with wood filling panel and F.1 the complete full glass door is the star amongst doors: they open up rooms and perspectives.

Glass for doors is available in tinted, frosted, fluted, and clear options.



CPL Veneer Natural Oak, Door model A.1



Model A.1



Model F.1



Model F.2



Model F.3



Model C.1



Model G.1



Model G.2



Vision panel 3



Model P.2

A TOUCH OF CLASS THAT FITS EVERY SPACE

Double doors, a design feature characterized by two adjacent door panels that swing open from the center, offer an elegant and practical solution for entryways. These doors not only create a striking visual impact but also provide enhanced functionality, allowing for a wider opening to accommodate large gatherings, furniture, or facilitate smooth movement between indoor and outdoor spaces.

Glass for doors is available in tinted, frosted, fluted, and clear options.



CPL Veneer Black/ Door model G.2

OFFSET DOUBLE DOOR



Model A.1



Model X.1



Model G.1



Model X.2

EQUAL DOUBLE DOOR



Model A.1



Model G.2



Model P.2



Model G.3



Model G.1




Model C.1

GRAND LAND LUXURY: ELEGANT TALL DOORS


Floor-to-ceiling tall doors, available in both single and double door configurations, are a hallmark of Grand Land Luxury. These towering doors create a dramatic visual impact, blending elegance with practicality. They offer a seamless transition between rooms or indoor and outdoor spaces, providing an expansive opening that accommodates large gatherings and easy movement of furniture. Their impressive height and sleek design enhance the sense of space and luxury in any setting.

Enhance your space with our impressive floor-to-ceiling doors, available in 2700mm and 3000mm heights, in both single and double door options. Their sleek design and substantial presence create a bold, elegant statement in any room. Glass for doors is available in tinted, frosted, fluted, and clear options.



CPL Veneer Natural Oak, Door model A.1

SUPER TALL SINGLE DOOR




CPL Veneer Eucalyptus, Door model A.1

SUPER TALL OFFSET DOUBLE DOOR




SUPER TALL EQUAL DOUBLE DOOR





Architraves :
60 mm wide & 12mm thick
architraves are finished with
matching CPL veneers and
give the impression of the
perfectly finished frame.



Eng. wood wall wrap frame :
Unique solution on the market
wrapping the entire thickness
of the wall. Can be adjusted
up to 20 mm.



PUR Adhesive :
High resistance to moisture & varying weather conditions. Adequately applied across the entire Door & Frame construction.

Frames add all the detail and value to a well-designed interior. It's the little things that count. To compliment a high-design door, one needs an even more sophisticated and intelligent frame.

All our frames are integrated with a perimeter acoustic seal and are offered with 60mm wide architraves in matching CPL veneer to the main frame.

Finished Wall thickness (mm)

Wall Thickness	Architraves
80-100	60
100 - 120	60
120-140	60
140-160	60
160-180	60
180-200	60
200-220	60
220- 240	60

Finished Wall thickness (mm)

Wall Thickness	Architraves
240-260	60
260-280	60
280-300	60
300-320	60
325-345	60
345-365	60
365-385	60
385-405	60

- Wesmarc offers two standard finished wall opening heights: 1975mm, 2100mm, 2250mm, 2350mm, 2400mm, 2700mm & 3000mm.
 - Wesmarc makes finished wall opening widths of 750mm, 850mm, 900mm, 1000mm, 1050mm, 1100mm, 1200mm, 1300mm, 1350mm, 1450mm, 1550mm, 1650mm, 1750mm, 1950mm, 2150mm, 2350mm.
- Additionally, we can accommodate other standard sizes upon request.

Minimum

Maximum

+ 20 mm

80-100 mm

120-140 mm

140-160 mm

160-180 mm

180-200 mm

200-220 mm

220-240 mm

240-260 mm

260-280 mm

280-300 mm


300-320 mm

320-340 mm

340-360 mm

365-385 mm


The universal frames come in varying wall thickness sizes, in increments of 15mm, with an additional 15mm of adjustability.



ELEGANT HARDWARES. EVERY DAY.

While we understand the importance of having elegant hardware, it's about a lot more than outward appearance. It is also about the inner peace you get from having a solid, secure metalware.

HINGES: MODERN & SLEEK DESIGN THAT ALLOWS FOR THE DOOR TO INGENUOUSLY "HANG ON" THE FRAME



2E Hinge Adjustable hinge



3E Hinge Adjustable hinge



Hinge bracket




2E/3E hinge mounted on bracket

SECURE COMFORT: LOCKING AND SEALING COMBINED FOR ENHANCED PROTECTION



Reinforced rounded striker plate



3-Security Bolts



EN Rated factory fitted mortise lock, 6 pin cylinder



Frame seal



Co-extruded acoustic seal

DOOR ORNAMENTS: BEYOND AESTHETICS, WE GRASP THE ESSENCE OF A REFINED TOUCH



Model A



Model B



Model E

Aluminium-solid
Available only in black finish



Model 1



Model 2



Model C




Model D

SS 304 Handles
available in silver Matte/Glossy



Model 4

Brass-solid
Available in Antique, Gold & Black



Model 3

Brass-solid
Available in Antique, Gold & Black

Note: The cylinder is available in Antique, Gold, Black and Silver. By default, it will be Silver.



Cylindrical Lock for interior Universal



Integrated Lock Handle



Pull handle: Model 1 (350mm)
Available in Antique, Gold & Black



Pull handle: Model 2 (457mm)
Available in Antique, Gold & Black



Pull handle: Model 3 (305mm)
Available in Black



Wood Pull handle: Available in all CPL decors


Smart lock compatible



Decorative hinge caps



Available in Antique, Gold, Black & Silver



Door viewer
Available in Antique, Gold, Black & Silver

Wesmarc smart Door closer



Track rail Door closer



Concealed Door closer



Scissors Arm Door closer



Stainless steel Threshold



Wood Threshold



Door Bumper



Grooved Doors



Engraved Aluminium strip





Frame for walkway



Side panel



Contrast door Molding



Door panel



Louvers on door



Beading on frame



Vision panel 1



Vision panel 2

350mm



Decorative architrave




Decorative architrave: 3 sides




Concealed Locking Bolt



Concealed Magnetic Door Stop



Door bottom drop seal




Door hook




Door hook



Door Edge protection



Frame Edge protection



Metal Skirting



Tile drop



Hydro Guard (SS304)

Available in black and silver




Victorian glass on G.1




Top Vision panel




Wickers on door




Ventilation louvers



Hooks



Skirting



Door Crown



Model F.3



Victorian Glass on G.1




WESMARC IS DIFFERENT FROM THE REST

WESMARC emerges as the unrivaled leader in the Indian door industry, surpassing competitors with unmatched technological advancements, exceptional product quality, and unrivaled door aesthetics.

FEATURES	IMAGE	WESMARC DOORS	MARKET DOORS	FEATURE IMPORTANCE/IMPACT
DOOR				
3 SIDE REBATED		Wesmarc Rebated door offers a seamless appearance with enhanced aesthetics.	Straight door	1. Improved Sound Insulation 2. Enhanced Thermal Efficiency 3. Blocks external light
DOOR THICKNESS		Setting the global standard, our 45 mm ,42 mm and 40mm thick doors deliver unmatched strength and durability.	30 to 36 mm thick	1. Increased Security 2. Enhanced Durability 3. Improved Sound Insulation
STILE & RAIL WIDTH		The 75 mm wide stile and rail inside door offers style and strength in one.	± 50 mm	1. Improved Functionality 2. Longevity 3. Improved Durability
INFILL		Wesmarc has both Tubular Core or Solid core infill for versatile, reliable doors.	Tubular core /w Honeycomb	1. High strength-to-weight ratio 2. Stiffness and stability 3. Thermal insulation
DECK		Wesmarc provides doors with a versatile selection of 4mm or 5.5mm deck options to suit your specific needs.	± 3 mm / undisclosed	1. Enhanced durability 2. Improved Sound Insulation 3. Better thermal insulation
CPL VENEER		Italy and Germany import durable, easy-to-clean CPL veneer, costlier than natural veneer, but its longevity and stunning aesthetics justify the expense.	Veneers, PU, To be confirmed by client	1. Durability & Protection 2. Easy Maintenance 3. Aesthetics
EDGE BAND		Our 4-side edge band doors offer a seamless and refined appearance, ensuring a professional finish for any space.	4 side edge band	1. Protection 2. Aesthetics 3. Durability
GLUE FOR LAMINATION		Utilizing PUR glue for veneer lamination ensures a strong and reliable bond, resulting in a beautiful and long-lasting finish for your project.	D3 / Regular white glue	1. Adhesion 2. Moisture Resistance 3. Longevity and Durability
GLUE FOR EDGE BANDING		With PUR glue , our door edge banding achieves a strong and seamless bond, enhancing durability and aesthetics.	D3 / Regular white glue/ Hot melt	1. Secure Adhesion 2. Protection and Sealing 3. Enhanced Aesthetics

HARDWARES FOR DOOR

LOCK		Factory fitted Mortise lock and has been rated according to EN standards.	The standard offer does not include this particular item.	1. Security Assurance 2. Reliable Performance 3. Compliance with Regulations
CYLINDER		Euro profile cylinder with 5 ultra-security keys, Computer cut. Tested for 200,000 cycles for durability and reliability.	The standard offer does not include this particular item.	1. Enhanced Security 2. Reliable Performance 3. Peace of Mind
HINGE		German imported 2 and 3 element hinges with adjustable feature for precise door alignment and versatile installation options.	Butterfly hinges have limitations in terms of 180° opening, adjustability and load-bearing capacity.	1. 180-degree opening 2. Load-Bearing Capacity 3. Adjustability
SECURITY LOCKING BOLT ENTRANCE		3 Security locking bolts , Intelligent solution to additionally secure entrance door ways.	Not possible	1. Enhanced Security 2. Deterrent to Intruders 3. Peace of Mind

FEATURES	IMAGE	WESMARC DOORS	MARKET DOORS	FEATURE IMPORTANCE/IMPACT
FRAME				
WALL WRAP FRAME		Wraps the full thickness of wall for a seamless look, and enhanced structural support.	The block frame may not warp or cover the whole wall thickness.	1. Superior Structural Integrity 2. Seamless Wall Integration 3. Enhanced Aesthetics
ADJUSTABLE FRAME		The adjustable frame with an additional 20mm on the wall thickness offers versatility in door installation	Not possible	1. Versatile size Compatibility 2. Easy installation 3. Improved Aesthetics
WALL TOLERANCES		Both side extension/Ledge= +30/-50mm One side extension/Ledge= +30/-20mm	± 5mm or Not possible	1. Easy installation 2. Smoother installation 3. Improved longevity
ENG. WOOD ARCHITRAVE 60MM		Wesmarc offers a premium finish to their doors with incorporating a 60mm engineered wood frame architrave .	± 30mm wide architrave	1. Increased Structural Support 2. Concealment of Gaps 3. Enhanced Aesthetic Appeal
CPL VENEER WRAPPED		CPL veneer imported from Italy and Germany	Veneers, PU , To be confirmed by client	1. Enhanced Visual Appeal 2. Durability and Resilience 3. Easy Maintenance
BOTTOM SIDE WATER SEALANT		Wesmarc doors feature a bottom-side water sealant on the door frame, providing moisture protection .	Bottom-side water sealant on the door frame.	1. Moisture Protection 2. Enhanced Durability 3. Extended Lifespan
45 DEGREE MITRE JOINT		Wesmarc door frames feature 45-degree miter joints for the frame corners	traditional market door frames often utilize butt joints	1. Enhanced Aesthetics 2. Improved Structural Integrity 3. Reduced Visible Gaps
GLUE FOR WRAPPING		PUR Glue for Veneer wrapping	D3 / Regular white glue	1. Adhesion 2. Moisture Resistance 3. Longevity and Durability

HARDWARES FOR FRAME

STRIKER PLATE		Wesmarc has Rounded Striker Plates with Color Matched Plastic Masking Cap	Typically have straight plates that lack color matching capabilities .	1. Reinforced security 2. Privacy enhancement 3. Extended Door Lifespan
CO-EXTRUDED ACOUSTIC SEAL		Wesmarc's Co-extruded Acoustic Seal with Color Variation and Built-in Grips/ Anchors .	No seal	1. Superior sound insulation 2. Gentle, soft closing. 3. Aesthetic Integration
HINGE BRACKET		Wesmarc has Hinge Bracket for Holding and Adjusting Hinges	Lack a dedicated bracket , making it challenging to align the door .	1. Flexibility in Alignment 2. Simplified Installation 3. Improved Door Functionality

INSTALLATION

HIDDEN ANCHOR FAST-NERS		Wesmarc door systems feature a superior anchoring technology that is hidden inside the back of the frame, ensuring a clean and seamless appearance.	Anchor bolts that are visible .	1. Enhanced Security 2. Aesthetically Pleasing 3. Enhanced Security
ALL FIXING CLAMPS AND FIXTURES		Wesmarc's inclusion of all necessary fixtures in their offer can provide added value and peace of mind for customers.	Installers to source standard fixtures locally.	1. Convenience and Compatibility 2. Consistency and Quality Control 3. Time and Cost Considerations
EASY INSTALLATION		Wesmarc doors with factory-fitted hardware featuring modern technology. Simply installed by 2 hands in 60 min.	Challenging & Time-consuming	1. Time Efficiency 2. Simplified Installation 3. Enhanced Functionality

CREATING FIRST IMPRESSIONS

MATERIAL PALETTE HIGH QUALITY CPL VENEERS

Not many things are as unpredictable as the Indian weather and usage patterns.

A vast geography, leading to vast differences in weather conditions and an equally vast difference in how the doors are used across, demanded a range of materials that stand resolute. So, we combined a consistently high-level of functionality with elegance.



Abrasion
resistance



Humidity
Resistant



Easy
Cleaning



Diffused
Sunlight

"PREMIUM & OPTIMUM DOOR" CPL VENEERS



Dark Oak



Stained Walnut



Natural Walnut



Natural Eucalyptus



Natural Oak



White Ash




Nero Notte



Bianco Puro

"UNIVERSAL DOOR" CPL VENEERS



Dark grey




Dark Mahogany



Vintage Oak



Light pine




WESMARC DELIGHT STUDIOS

Introducing the new WESMARC Experience Centres in Bangalore, Chennai, Hyderabad, Coimbatore, Mysore, Vijayawada, Visakhapatnam, Kerala, and more upcoming centers.

Discover complete doors, frames, and hardware all in one place, making door and frame selection easier than ever. See and believe the possibilities firsthand at our state-of-the-art display galleries strategically located across these cities.

INSTALLATION MADE EASY




STEP 1

Glue and assemble the factory finished vertical elements of the frame to the horizontal with the provided screw and clamp assembly.




STEP 4

Now, for the reverse side, the factory finished architrave is easily assembled the same way using glue, screws and clamps. The result is a firmly jointed & perfectly finished 45° edge.



STEP 2

Our unique hinges lock to the architrave by just tightening its screw. Then the entire frame assembly is placed within the wall opening and aligned.



STEP 5

This is then simply push fixed with some glue into the slotted groove in the main frame.



STEP 3


Stability bars are clamped on the frame & wall, following fix the hidden anchor fasteners and using a gun, expanding PU foam to cover the gap between the frame & the wall.



STEP 6

Finally, the factory finished door leaf with its pre-installed lock and hinge is literally just hung onto the hinge on the frame. Millimeter alignment precision can be achieved in 3D by a simple adjustment of the hinge screw using just a screwdriver.





DOOR FRAME HARDWARE



DOORS OF TOMORROW, FOR TODAY.

Doorways divide and connect worlds.
They form both the first and last impression.
They are quiet in their presence, and yet speak
volumes about the space they secure.
They give you a sense of safety when you enter and
a sense of reassurance when you are out.
They offer a glimpse of life as it could be, and
also of how far a journey it's been.


Doors are the quiet chroniclers of life,
and every time you step through a door,
you pick up a story where you left off.

So, we believe that every time you open a door, you

OPEN [®] TOMORROW



INDIA'S MOST
MODERN & LARGEST
DOOR & FRAME MANUFACTURING



Seeing is believing: Write to us at
namaste@wesmarcdoors.com or call us
at **9880-918-981** to tour our Mega Factory
or visit any of our delight studio

Trade enquiries solicited

Visit our Delight Studios at

BLR: Bommasandra & Indiranagar 100 Ft Rd
HYD: Banjara Hills, Rd #12
CHE: Pantheon, Egmore

75+ channel partners with product displays across Bharat

KK: Bengaluru,	KL: Kannur	PB: Mohali, Chandigarh
Mysuru &	Kochi (soon)	Ludhiana
Mangalore (soon)	AP: Tirupati, Vijayawada	BR: Patna
TN: Chennai,	TS: Hyderabad	CH: Raipur
Coimbatore, Tiruppur	MH: Pune	

wesmarcdoors.com

INDIA'S #1ST AND ONLY



German inspired
Rebated Door
system



Full Wall Wrap
Adjustable Frame
(F.W.W.A.F) system
with WES.Flex™

German Engineered, Bharat Made